



WORKPLACE EQUIPMENT





CONTENT

Production at Dringenberg –
Interface of vision and working world

6

Individual
projects



18

Box work-
benches




"MAKE YOUR WORK-
PLACE EXACTLY HOW
YOU WANT IT TO BE.
PERFECT."



44

Hinged door cabinets



Vehicle equipment

52

- 4–5 About Dringenberg
- 6 Individual projects
- 7 Project consulting
- 8 Customised workbenches and
drawer cabinets
- 9 Individual colour selection

- 10–11 Shelving system
- 12–17 Drawer cabinets
- 18–23 Box workbenches
- 24 Underbenches and cabinets
- 25 Workbench trolleys

- 26–29 Underbench cabinets
- 30–33 Workbench superstructures
- 34–35 Stools and chairs
- 36–37 Perforated panel systems
- 38–39 Assembly trolleys
- 40–41 Tool trolleys
- 42–43 Visible storage systems
- 44–45 Hinged door cabinets
- 46–49 Sliding door cabinets
- 50–51 Battery charging cabinets
- 52–53 Vehicle equipment – modules
- 54 Assembly service
- 55 Smart it up

YOUR WORKSHOP SHELVING

We start with a dedicated consultation. From there, the designers transform your ideas into drawings to prepare for manufacturing. Our material warehouse collects the raw materials. We stamp and bend the raw materials in-house via a combination of workmanship and high-tech processes, to bring precision components into our pre-assembly shop. Thanks to our integrated coating system, we can offer almost any color combination. Afterwards the final assembly takes place, before the components are carefully packaged and loaded for shipping.



INSPIRATION ▶



1 CONSULTATION ▶



2 CONSTRUCTION ▶



3 WAREHOUSE ▶




4 PUNCHING SHOP ▶



5 BENDING ▶



6 SHELL CONSTRUCTION ▶



7 COATING ▶



8 FINAL ASSEMBLY ▶

OUR PRODUCTION IS THE INTERFACE THAT FUSES OUR VISION AND THE WORKING WORLD

Dringenberg enjoys a first-class reputation and is the first point of contact for many companies when it comes to individual, sustainable solutions. Maybe this is because we have the expertise and capacity to satisfactorily serve international corporations, and maybe also because our heart beats for small and medium-sized enterprises. In any case, our groundbreaking and cost-effective solutions are the key to our success – which we have achieved by consistently following our

Four Guiding Principles:

1

Entrepreneurial thinking and acting

We open up, develop and exploit given market opportunities at all levels of our activities. In this way, we sustainably increase the value of the company, secure jobs and generate an appropriate return.



2

Culture

We want to be a company where passion, initiative and mutual respect are practised, where employees feel at ease and customers are served attentively. We treat the environment and resources responsibly.



3

Quality

We want to inspire our customers with our excellent quality and attentive service. We keep our promise.



4

Innovation

In order to do justice to the trust placed in us by our customers, we see ourselves as a learning company that continues to develop its professionalism by continuously optimising its processes, products and services, through self-criticism and a willingness to innovate.



... AND WHAT WE DO

On more than 28000 m² production area, we manufacture an extensive product range that sets standards. Our offer ranges from the planning of complete factory equipment, to the production of the corresponding furniture range, through to a full service package for assembly and individualisation.

SUCCESSFUL TEAMWORK THAT REMAINS DOWN TO EARTH

The basis of our quality is the interplay between a strong customer service orientation and an exceptionally high level of manufacturing expertise. We have machines, equipment and systems that give us practically no limits in the production of modern operating equipment. At the same time, we have always stayed true to our artisan roots and can claim with confidence: Dringenberg offers products made by master craftsmen. The product portfolio ranges from workbenches and cabinets to shelving and mobile workshop equipment. In addition, Dringenberg focuses strongly on customer-specific individual solutions.





INDIVIDUAL PROJECTS

Most companies have their own corporate philosophy and working practice, which they naturally want to convey to their customers and employees. Dringenberg is the ideal partner when it comes to the individualisation of your company equipment. No matter whether it is a complex project or a single workbench, we offer a wide range of options to meet your individual needs. Talk to us, we will be happy to advise you.



COMPETENT PROJECT CONSULTING IN 4 STEPS, FROM THE FIRST IDEA TO THE PERFECT RESULT

An efficiently designed workplace not only reduces operating costs, it also motivates each individual employee to give their best time and time again. In order for this to be successful, the operating equipment must be consistently thought through from the very beginning. What does your manufacturing process look like? Which standards are used, where do we need individual solutions? And above all, what are the demands of the future? **We clarify all these questions together with you in four systematic steps:**


1

You can discuss your interior design idea with one of our experienced project consultants. If required, we analyse the conditions on your premises and create an individual concept for you – professionally and competently.



2

After the initial consultation you will receive a sketch and a 3D drawing of the discussed solution. It serves as a basis for further discussions and will be adapted in the course of the project until finalisation.




3

As soon as the idea is fully developed, we reliably produce your individual furnishing solution. The idea becomes reality.



4

During the assembly process, we turn your idea into reality. We deliver your equipment punctually on the agreed date, with reliable partners taking care of the safe transport of your products. Our fitters ensure that everything is in place, works properly and fits perfectly into your environment.



FURTHER INFORMATION

There is a separate brochure available on the topic of project consulting. Request now: from your specialist dealer or directly at vertrieb@dringenberg.com

WHETHER WORKBENCH OR COMPLETE FACTORY EQUIPMENT, WE GUARANTEE A FLAWLESS ASSEMBLY



Dringenberg delivers the equipment punctually on the agreed date and ensures the safe transport of your products thanks to reliable partners. On request, our fitters can also carry


out the complete installation on site – from the first screw to the handover: so that everything fits perfectly, functions smoothly and fits perfectly into your working environment. **Detailed information on our assembly service can be found on page 54.**




DESIGN CUSTOMISED WORKBENCHES OR ...

Freely configure your desired workplace from a wide variety of components. Select from the individual products those that best suit your working environment.

Example configuration of individual workstations:



... DRAWER CABINETS



Wooden plate available on request



ALL COLOURS FOR YOUR INDIVIDUAL CORPORATE DESIGN

Colour is a powerful stylistic device to underline the corporate identity of an organisation. This is exactly where Dringenberg offers almost unlimited possibilities with its own paint shop. Use this opportunity to make a lasting impression on your customers, beyond business cards and stationery.

All painted parts are available at no extra charge in one of our 28 RAL STANDARD COLOURS

1015 hellelfenbein	1028 melon yellow	3002 carmine red	3020 NEW traffic red	5005 signal blue	5010 NEW gentian blue
5012 light blue	5014 dove blue	5015 sky blue	6011 reseda green	6018 gelbgrün	6018 NEW yellow green
7021 black-grey	7023 concrete grey	7032 pebble grey	7035 NEW light grey	7038 agate grey	7042 traffic grey
8019 grey-brown	9005 NEW deep black	9006 white aluminium	9010 pure white	9011 graphite black	NEW now 5 colours in fine structure matt



Corporate colour, signal colour or favourite colour – did you know that most Dringenberg products can be individually designed according to your colour preferences?

In addition to our standards, you can choose practically any special colour from the RAL spectrum for a small surcharge. To be precise, there are a total of 45,369 possible colour combinations. We will be happy to advise how your desired colours can best be implemented. Just ask us.






KEY FEATURES:

- Welded steel profiles with high payload.
- Shelves included, positioning in 30 mm grid, level or tilted
- Expansion possible via extensive accessories
- Wide range of color options

Shelving system RS, complete

inkl. 9 Fachböden

Item-No. 044849	H x W x D (mm): 1950 x 680 x 350	Max. shelf load 42 kg
Item-No. 044850	H x W x D (mm): 1950 x 680 x 500	Max. shelf load 80 kg
Item-No. 044851	H x W x D (mm): 1950 x 680 x 680	Max. shelf load 120 kg
Item-No. 044852	H x W x D (mm): 1950 x 680 x 830	Max. shelf load 160 kg
Item-No. 048132		
„CARDBOARD BOX“	H x W x D (mm): 1950 x 680 x 500	Max. shelf load 80 kg



SHELVING SYSTEM RS


The shelving system RS allows flexible customization. Therefore, it is perfectly tailored to the needs of the user. Each shelf can be inserted into the rack individually, either level or tilted to an angle up to 15 degrees.

- ✓ Flexible
- ✓ Quick check on stocked items
- ✓ Accessible
- ✓ Extensive range of accessories
- ✓ Customized setups



RS base frame

Item-No. 044859	H x W x D (mm): 1950 x 680 x 350
Item-No. 044860	H x W x D (mm): 1950 x 680 x 500
Item-No. 044861	H x W x D (mm): 1950 x 680 x 680
Item-No. 044862	H x W x D (mm): 1950 x 680 x 830



Base frame accessories

Item-No. 044887	Pipe plug
Item-No. 044888	Adjusting screw



CHOOSE YOUR VERSION:

- VL = solid sheet
- PL = Perfo perforated sheet

RS rear panel

Item-No. 044857	VL width 680 mm
Item-No. 044874	PL width 680 mm




RS side panel

Item-No. 044853	VL depth 350 mm
Item-No. 048265	PL depth 350 mm
Item-No. 044854	VL depth 500 mm
Item-No. 044873	PL depth 500 mm
Item-No. 044855	VL depth 680 mm
Item-No. 048267	PL depth 680 mm
Item-No. 044856	VL depth 830 mm
Item-No. 048269	PL depth 830 mm



RS shelves

Item-No. 044863	depth 350 mm	Max. shelf load 42 kg
Item-No. 044864	depth 500 mm	Max. shelf load 80 kg
Item-No. 044880	„CARDBOARD BOX“	depth 500 mm
Item-No. 044868	„HIGH“	depth 500 mm
Item-No. 044869	„EXTENDABLE“	depth 500 mm
Item-No. 044865	depth 680 mm	Max. shelf load 120 kg
Item-No. 044866	depth 830 mm	Max. shelf load 160 kg
Item-No. 044881	Attachment „CARTRIDGE“	



RS drawer

Shelf depth: 500 mm

Item-No. 044875	height 60 mm	Max. shelf load 40 kg
Item-No. 044876	height 120 mm	Max. shelf load 40 kg
Item-No. 044877	height 150 mm	Max. shelf load 40 kg
Item-No. 044878	height 180 mm	Max. shelf load 40 kg



RS threaded rod holder

Item-No. 044883	depth 500 mm
-----------------	--------------



DRAWER CABINETS

Configure your customised drawer cabinet. With a variety of components, the cabinet adapts to your individual needs. We would be happy to advise you on the optimal configuration and provide you with an offer.

PRODUCT INFORMATION:

- Welded sheet steel construction with high load capacity and stability
- Drawers with approx. 85 % extension or 100 % extension and rows of slots for plug-in dividers
- Aluminium handle bars with transparent labeling strips
- Tilt resistance due to single drawer pull-outlock
- Central locking with security lock

Housing
RAL 7035
light grey

Front
RAL 5010
gentian blue



CHOOSE YOUR VERSION:

- TA = 85 % extension
- VA = 100 % extension


Drawer cabinet S7 1028/5

H x W x D (mm): 1028 x 722 x 700

1 x drawer 120 mm 100 kg; 1 x drawer 150 mm 100 kg; 1 x drawer 180 mm 100 kg; 1 x drawer 210 mm 100 kg; 1 x drawer 300 mm 100 kg

Item-No. 026651 TA

Item-No. 033448 VA




Drawer cabinet S7 1028/6

H x W x D (mm): 1028 x 722 x 700

2 x drawer 90 mm 100 kg; 1 x drawer 120 mm 100 kg; 2 x drawer 150 mm 100 kg; 1 x drawer 360 mm 100 kg

Item-No. 026649 TA

Item-No. 033449 VA



Drawer cabinet S7 1028/7

H x W x D (mm): 1028 x 722 x 700

2 x drawer 90 mm 100 kg; 3 x drawer 120 mm 100 kg; 1 x drawer 180 mm 100 kg; 1 x drawer 240 mm 100 kg

Item-No. 033452 TA

Item-No. 033453 VA



Drawer cabinet S7 800/5

H x W x D (mm): 800 x 722 x 700

1 x drawer 90 mm 100 kg; 1 x drawer 120 mm 100 kg; 1 x drawer 150 mm 100 kg; 2 x drawer 180 mm 100 kg

Item-No. 033450 TA

Item-No. 033451 VA



Drawer cabinet B7 800/6

H x W x D (mm): 800 x 1022 x 700

1 x drawer 60 mm 100 kg; 2 x drawer 90 mm 100 kg; 2 x drawer 150 mm 100 kg; 1 x drawer 180 mm 100 kg

Item-No. 033456 TA

Item-No. 033457 VA



Drawer cabinet B7 800/5

H x W x D (mm): 800 x 1022 x 700

1 x drawer 90 mm 100 kg; 1 x drawer 120 mm 100 kg; 1 x drawer 150 mm 100 kg; 2 x drawer 180 mm 100 kg

Item-No. 033458 TA

Item-No. 033459 VA




Drawer cabinet B7 1028/6

H x W x D (mm): 1028 x 1022 x 700

2 x drawer 90 mm 100 kg; 1 x drawer 120 mm 100 kg; 2 x drawer 150 mm 100 kg; 1 x drawer 360 mm 100 kg

Item-No. 033460 TA

Item-No. 033461 VA



Drawer cabinet B7 1328/9

H x W x D (mm): 1328 x 1022 x 700


1 x drawer 60 mm 100 kg; 8 x drawer 150 mm 100 kg

Item-No. 033462 TA

Item-No. 033463 VA

FURTHER INFORMATION

There is a separate brochure available on the topic of cabinet system. Request now: from your specialist dealer or directly at vertrieb@dringenberg.com



DRAWER DIVISION



Variant S



5 compartments



12 compartments



18 compartments

Front-panel height (mm)

height 60	Item-No. 019767	Item-No. 019793	Item-No. 019796
height 90	Item-No. 019775	Item-No. 019794	Item-No. 019797
height from 120	Item-No. 019778	Item-No. 019795	Item-No. 019798



Variant B



5 compartments




12 compartments



18 compartments

Blendenheight (mm)

height 60	Item-No. 019802	Item-No. 019808	Item-No. 019811
height 90	Item-No. 019803	Item-No. 019809	Item-No. 019812
height from 120	Item-No. 019804	Item-No. 019810	Item-No. 019813



Compartment rails suitable for variant S and B

Kastenheight (mm)

height 60	Item-No. 003186
height 90	Item-No. 003196
height 120	Item-No. 003206
height 150	Item-No. 003215



Trough plate set: including matching trough plug-in walls

Trough widths 70 mm, 40 mm and 32 mm

Variant S

Item-No. 014993 S7

Variant B

Item-No. 015091 B7



Spare parts box set: incl. matching label holder

Box sizes W x D (mm): 150 x 150, 150 x 100, 150 x 75 and 75 x 75

Variant S

height 40	Item-No. 014994 S7
height 70	Item-No. 014995 S7

Variant B

height 40	Item-No. 015093 B7
height 70	Item-No. 015094 B7

ACCESSORIES



Cover plate

H (mm): 8

Plastic coated, black

Item-No. 016140 S7

Item-No. 016141 B7



Stacker base

H (mm): 130

Sturdy tubular construction with removable front and rear panels, powder coating colour RAL 9005

Item-No. 020940 S7

Item-No. 020938 B7



Fine grooved mat

H x D (mm): 3 x 595

Item-No. 012595 S7

Item-No. 012597 B7



Ribbed rubber mat with raised edges

Item-No. 022041 B7

Item-No. 022025 S7



Mobile platform

Load capacity 1000 kg, 2 fixed and 2 swivel castors with brake, ø 125 mm

Item-No. 020944 S7

Item-No. 020942 B7

We are also happy to offer you individual hard foam inserts. Contact us at vertrieb@dringenberg.com



5 STEPS TO AN INDIVIDUAL

Configure your own individual drawer cabinet in just a few steps. Precisely tailored to your desires, ideas and send us the inquiry by email. We would be happy to provide you with a personalised quote.

DRAWER CABINET

requirements. Simply fill in the relevant options in the form below and

1 BASE

Choose the model that suits you from 3 widths, 4 heights and 2 depths:



Dimensions

Width

- 722 mm
- 1022 mm
- 1422 mm

Height

- 800 mm (usable height 720 mm)
- 1028 mm (usable height 960 mm)
- 1328 mm (usable height 1260 mm)
- 1560 mm (usable height 1470 mm)

Depth

- 550 mm
- 700 mm

2 ASSEMBLY

Drawers with full or partial extension? 100 kg or 200 kg load capacity? The choice is yours:



Drawers

Full extension (100%) Partial extension (85%)

- 70 kg (drawer height 60 mm only)
- 100 kg
- 200 kg

Height

- | | |
|-----------------------------------|-----------------------------|
| <input type="checkbox"/> × 60 mm | <input type="checkbox"/> mm |
| <input type="checkbox"/> × 90 mm | <input type="checkbox"/> mm |
| <input type="checkbox"/> × 120 mm | <input type="checkbox"/> mm |
| <input type="checkbox"/> × 150 mm | <input type="checkbox"/> mm |
| <input type="checkbox"/> × 180 mm | <input type="checkbox"/> mm |
| <input type="checkbox"/> × 210 mm | <input type="checkbox"/> mm |
| <input type="checkbox"/> × 240 mm | <input type="checkbox"/> mm |
| <input type="checkbox"/> × 270 mm | <input type="checkbox"/> mm |
| <input type="checkbox"/> × 300 mm | <input type="checkbox"/> mm |
| <input type="checkbox"/> × 330 mm | <input type="checkbox"/> mm |
| <input type="checkbox"/> × 360 mm | <input type="checkbox"/> mm |

Total height: mm

NOTE: The sum of the selected drawer heights must correspond to the respective usable height of the cabinet body.

2.3 Hinged doors

NOTE: For the hinged door version, the height of the doors corresponds to the usable height of the body. The cupboard is then equipped with 2 height-adjustable shelves. Combination with drawers is possible.

3 DESIGN

Design the body and front with our 24 standard RAL colours:



Colour

	Body	Front
<input type="checkbox"/> 1007 daffodil yellow	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 1015 light ivory	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 1028 melon yellow	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 3002 carmine red	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 3020 traffic red	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 5005 signal blue	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 5010 gentian blue	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 5012 light blue	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 5014 dove blue	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 5015 sky blue	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 6011 reseda green	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 6018 yellow green	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 7016 anthracite grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 7021 black-grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 7032 pebble grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 7023 concrete grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 7035 light grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 7038 agate grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 7042 traffic grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 8019 grey-brown	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 9005 deep black	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 9006 white aluminium	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 9010 pure white	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 9011 graphite black	<input type="checkbox"/>	<input type="checkbox"/>

4 SAFETY

We offer various locking options to keep your tools safe.



Locking

- Standard locking (vs = differently locking)
- Locking system (gs = same locking)
- Electronic combination lock
- RFID system (only for drawers)



5 EXTRAS

Choose from our extensive range of accessories.



Accessories

- Cover plate (plastic-coated, H: 8 mm)
- Cover plate (beech multiplex, H: 40 mm)
- Raised edge (with ribbed rubber coating)
- Stacker base (H: 130 mm)
- Mobile platform
- Drawer with soft-close (only possible with full-extension runners)
- Fine grooved mat for drawer
- Dividers for drawers (we will be happy to send you additional information material)
- Additional shelves, fixed, height-adjustable (with hinged door variant)
- Additional shelves, full extension height-adjustable (only with hinged door variant)
- Individual grid foam insert (we will be happy to send you separate information material on this)

TO OFFER

We will be happy to provide you with a quote for your individually configured drawer cabinet.

Customer data

Name

Company

Email

Customer no.

Customer choice

Please send the completed inquiry by email to vertrieb@dringenberg.com

CLICK HERE FOR THE ELECTRONIC FORM





BOX WORKBENCHES

To adapt the workplace optimally to on-site requirements, you need a precise idea of the product characteristics. Dringenberg workbenches are heavy-duty, create order and are also available with customised drawer divisions or special colours on request. You can work comfortably both standing or sitting at and on our workbenches.

PRODUCT INFORMATION:

- Welded sheet steel construction with high load capacity and stability
- Drawers with approx. 85% extension and rows of slots to accommodate dividers
- Aluminium handle bars with transparent labeling strips and cover caps
- Worktop beech multiplex 38 mm thick, bevelled and colourless lacquered, conditionally water and oil resistant
- Surfaces ground on both sides, all edges bevelled at a 45° angle
- Load capacity up to 800 kg, mobile up to 400 kg
- Central locking with security lock

CHOOSE YOUR BOX WORKBENCH FROM THREE DESIGNS:



Fixed, 840 mm high



Height adjustable via grid adjustment and screw fixing, 840-1040 mm high



Mobile and lowerable with undercarriage

UNDERCARRIAGE FOR BOX WORKBENCHES:

- Compatible with all box workbenches 1500 and 2000 mm
- When lowered, the workbench stands solidly on its steel legs and can be subjected to maximum loads
- Only for new orders, cannot be retrofitted

THE LOWERING DEVICE FACILITATES RELIABLE AND FLEXIBLE WORK. AFTER LIFTING, THE WORKBENCH CAN EASILY BE MOVED TO A NEW LOCATION



OUR WOOD BOARDS ARE NATURAL PRODUCTS



EACH WOOD BOARD IS UNIQUE

Wood is a natural product and every tree is unique. The wood boards we supply can therefore show deviations in growth, colour, structure and grain. Minimal shrinkage and warping of wood boards is also natural and does not constitute grounds for complaint. The boards must be mounted immediately after unpacking. We do not assume any warranty in the event of distortion of the wood boards. Lacquered wood boards are only waterproof to a limited extent.



1500mm



Box workbench 1500 1/1

H x W x D (mm): 840 x 1500 x 750
 Left: without housing; Right: 1 x drawer 180 mm 70 kg, 1 x door 360 mm
 Item-No. 017152 fixed
 Item-No. 017153 height adjustable



Box workbench 1500 2/1

H x W x D (mm): 840 x 1500 x 750
 Left: 1 x drawer 180 mm 70 kg, 1 x door 360 mm; Right: 1 x shelf, galvanised, height adjustable, 40 kg
 Item-No. 016161 fixed
 Item-No. 016162 height adjustable
 Item-No. 033423 mobile



Box workbench 1500 2/2

H x W x D (mm): 840 x 1500 x 750
 Left & right: 1 x drawer 180 mm 70 kg, 1 x door 360 mm
 Item-No. 017162 fixed
 Item-No. 017163 height adjustable
 Item-No. 033424 mobile



Box workbench 1500 2/3

H x W x D (mm): 840 x 1500 x 750
 Left: 3 x drawer 180 mm 70 kg; Right: 1 x door 540 mm, 1 x shelf galvanised, height adjustable, 40 kg
 Item-No. 016163 fixed
 Item-No. 016164 height adjustable
 Item-No. 033426 mobile



Box workbench 1500 2/4

H x W x D (mm): 840 x 1500 x 750
 Left: 3 x drawer 180 mm 70 kg; Right: 1 x shelf, galvanised, height-adjustable, 40 kg
 Item-No. 033464 fixed
 Item-No. 033465 height adjustable
 Item-No. 033466 mobile



Box workbench 1500 2/6

H x W x D (mm): 840 x 1500 x 750
 Left & right: 3 x drawer 180 mm 70 kg
 Item-No. 019941 fixed
 Item-No. 019942 height adjustable
 Item-No. 033425 mobile

Front
 RAL 5010
 gentian blue

Housing
 RAL 7035
 light grey



2000mm



Box workbench 2000 3/2

H x W x D (mm): 840 x 2000 x 750
 Left & right: 1 x drawer 180 mm 70 kg; 1 x door 360 mm; Middle: 1 x shelf, galvanised, height adjustable, 40 kg
 Item-No. 016165 fixed
 Item-No. 016166 height adjustable
 Item-No. 033427 mobile



Box workbench 2000 3/6

H x W x D (mm): 840 x 2000 x 750
 Left & right: 1 x door 540 mm, 1 x shelf galvanised, height adjustable, 40 kg; Middle: 3 x drawer 180 mm 70 kg
 Item-No. 019945 fixed
 Item-No. 019946 height adjustable
 Item-No. 033428 mobile



Box workbench 2000 3/7

H x W x D (mm): 840 x 2000 x 750
 Left & right: 3 x drawer 180 mm 70 kg; Middle: 1 x shelf, galvanised, height adjustable, 40 kg
 Item-No. 033467 fixed
 Item-No. 033468 height adjustable
 Item-No. 033469 mobile


ACCESSORIES



Drawer division


Front-panel height (mm)

Height from 150




6 compartments

Item-No. 016212



12 compartments

Item-No. 016221



18 compartments

Item-No. 016225



Fine grooved mat

H x W x D (mm): 3 x 485 x 595

Item-No. 035508 black



Shelf

Item-No. 030008 galvanised



Perforated metal panel

H x W (mm): 556 x 589

Item-No. 023454

Matching products are available here:

- Workbench superstructures page 31



5 STEPS TO A CUSTOMISED BOX WORKBENCH

Configure your own individual box workbench in just a few steps. Precisely tailored to your desires, ideas and and send us the inquiry by email. We would be happy to provide you with a personalised quote.

1 BASE

Choose your model from 3 widths, 4 heights and 2 depths:



Design and dimensions

Design

- Fix (840 mm)
- Height-adjustable (840 - 1040 mm)
- Can be moved and lowered

Width

- 1500 mm
- 2000 mm

Depth

- 750 mm
- individuell: mm

Worktop

Beech multiplex lacquered (H: 38 mm)

- Solid oiled beech (H: 40 mm)



2 ASSEMBLY

Design your workbench according to your individual requirements.



NOTE: The available housing height is 540 mm. This can be fitted with drawers and/or doors.

Drawers

• 85% partial extension
• 70 kg load capacity

	Left	Right	Middle
60 mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
90 mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
120 mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
150 mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
180 mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Doors

360 mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
540 mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Shelves

(height-adjustable)

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------

3 DESIGN

Design the body and front with our 24 standard RAL colours:



Colour

	Body	Front
<input type="checkbox"/> 1007 daffodil yellow	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 1015 light ivory	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 1028 melon yellow	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 3002 carmine red	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 3020 traffic red	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 5005 signal blue	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 5010 gentian blue	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 5012 light blue	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 5014 dove blue	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 5015 sky blue	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 6011 reseda green	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 6018 yellow green	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 7016 anthracite grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 7021 black-grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 7032 pebble grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 7023 concrete grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 7035 light grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 7038 agate grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 7042 traffic grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 8019 grey-brown	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 9005 deep black	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 9006 white aluminium	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 9010 pure white	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 9011 graphite black	<input type="checkbox"/>	<input type="checkbox"/>

WORKBENCH

requirements. Simply fill in the relevant options in the form below

4 SAFETY

We offer various locking options to keep your tools safe.



Locking

- Standard locking (vs = differently locking)
- Standard locking (gs = same locking)

5 EXTRAS

Choose from our extensive range of accessories.

Accessories

- PVC overlay (transparent, 3 mm)
 - Sheet steel support, galvanised (1.5 mm, edged at the front and rear)
 - Fine grooved mat (for drawers)
 - Shelf, galvanised
 - CLIP-O-FLEX (we will be happy to send you separate information material)
 - Dividers for drawers (we will be happy to send you additional information material)
 - Power unit (2 x 220V socket, 1 x compressed air)
- Individual workbench superstructures (we will be happy to send you separate information material on this)

TO OFFER

We will be happy to provide you with a quote for your individually configured underbench work table.

Customer data

Name

Company

Email

Customer no.

Customer choice

Please send the completed inquiry by email to vertrieb@dringenberg.com

CLICK HERE FOR THE ELECTRONIC FORM





OUR WOOD BOARDS
ARE NATURAL
PRODUCTS



Underbench 1500/2000 800/T1

H x W x D (mm): 840 x 1500/2000 x 750
Left: underbench cabinet 800 mm with 1 x drawer 180 mm 100 kg, 1 x door 540 mm; Right: workbench leg made of U-profile H = 800 mm
Item-No. 033430 (1500)
Item-No. 033431 (2000)



Underbench 800/T2

H x W x D (mm): 840 x 1500/2000 x 750
Left: underbench cabinet 800 mm with 2 x drawer 90 mm 100 kg, 1 x door 540 mm; Right: workbench leg made of U-profile H = 800 mm
Item-No. 033434 (1500)
Item-No. 033435 (2000)



Underbench 800/T2/5

H x W x D (mm): 840 x 2000 x 750
Left: underbench cabinet 800 mm with 2 x drawer 90 mm 100 kg, 1 x door 540 mm; Right: underbench cabinet 800 mm with 1 x drawer 90 mm 100 kg, 1 x drawer 120 mm 100 kg, 1 x drawer 150 mm 100 kg, 2 x drawer 180 mm 100 kg
Item-No. 033444



Underbench 380/2

H x W x D (mm): 840 x 1500/2000 x 750
Left: underbench cabinet 380 mm with 2 x drawer 150 mm 100 kg; Left & right: workbench leg made of U-profile H = 800 mm
Item-No. 033436 fixed (1500)
Item-No. 033438 fixed (2000)
600-950 mm height adjustable per raster
Item-No. 033437 hv (1500)
Item-No. 033439 hv (2000)



Underbench 380/3

H x W x D (mm): 840 x 1500/2000 x 750
Left: underbench cabinet 380 mm with 2 x drawer 90 mm 100 kg, 1 x drawer 120 mm 100 kg; Left & right: workbench leg made of U-profile H = 800 mm
Item-No. 033440 fixed (1500)
Item-No. 033442 fixed (2000)
600-950 mm height adjustable per raster
Item-No. 033441 hv (1500)
Item-No. 033443 hv (2000)



Work table 1500 AT15/2000 AT20

H x W x D (mm): 840 x 1500/2000 x 750
2 x workbench leg made of U-profile H = 800 mm, cross bracing, supplied unassembled
Item-No. 020129 fixed (1500)
Item-No. 020130 fixed (2000)
600-950 mm height adjustable per raster
Item-No. 028042 hv (1500)
Item-No. 028043 hv (2000)



Underbench cabinet 380/2

H x W x D (mm): 380 x 572 x 600
2 x drawer with partial extension (85%) 100 kg, Box height: 100 mm, front-panel height: 150 mm, handle strips made of aluminium with paper and Transparent strips and cover caps
Item-No. 017109



Underbench cabinet 380/3

H x W x D (mm): 380 x 572 x 600
2 x drawer with partial extension (85%) 100 kg, Box height: 70 mm, front-panel height: 90 mm, 1 x drawer with partial extension (85%) 100 kg, Box height: 100 mm, front-panel height: 120 mm, aluminium handle strips with paper and Transparent strips and cover caps
Item-No. 017117



Underbench cabinet 380/4

H x W x D (mm): 380 x 572 x 600
2 x drawer with partial extension (85%) 100 kg, Box height: 40 mm, front-panel height: 60 mm, 2 x drawer with partial extension (85%) 100 kg, Box height: 70 mm, front-panel height: 90 mm, aluminium handle strips with paper and Transparent strips and cover caps
Item-No. 017118

Suitable products for the underbench work tables are available here:

- Accessories page 29
- Assembly trolley page 39



Workbench leg

H x W x D (mm): 800 x 80 x 630
Made of sturdy U-profile steel with cross bracing
Item-No. 017455

Workbench leg, height-adjustable

H x W x D (mm): 600-950 x 80 x 630
Made of sturdy U-profile steel with cross bracing, adjustable in 25 mm increments
Item-No. 017456

Cross brace

For stabilisation of self-configured workbenches. Mounted between two workbench feet, mounting hardware included. Universal use in table widths 1500 mm and 2000 mm
Item-No. 017454




Power foot model 1

H x W x D (mm): 800 x 100 x 600
Equipped with 2 x mounted socket 230V, 1 x compressed air quick coupling, at the back with 3 x PG25 screw connections with strain relief, base frame with level adjustment approx. 20 mm, not wired
Item-No. 023028



Worktop beech multiplex

H x D (mm): 38 x 750
Colourless lacquered, conditionally water and oil resistant (IW 67). Surfaces ground on both sides. All edges bevelled at an angle of 45°
Item-No. 007539 (1500)
Item-No. 007541 (2000)



Worktop incl. zinc plate support


H x D (mm): 40 x 750
Beech multiplex incl. zinc plate support, 1.5 mm thick, folded twice (front and back)
Item-No. 050772 (1500)
Item-No. 050773 (2000)

WORKBENCH TROLLEYS

FLEXIBLE USE, ALSO FOR HEAVY ASSEMBLY WORK

PRODUCT INFORMATION:

- Welded sheet steel construction with high load capacity and stability
- Drawers with approx. 85% extension and rows of slots to accommodate dividers
- Aluminium handle bars with transparent labeling strips and cover caps
- Central locking with security lock
- 2 x swivel castor Ø 100 mm with brake, 2 x fixed castor Ø 100 mm
- 1 robust, screwed-on driving handle
- Worktop beech multiplex 38 mm, bevelled and colourless lacquered, conditionally water and oil resistant



Workbench trolley 1500

H x W x D (mm): 835 x 1155 x 700
Load capacity up to 600 kg
Item-No. 014991



Workbench trolley 1500 2/3

H x W x D (mm): 840 x 1500 x 750
Left: 3 x drawer 180 mm 70 kg; Right: 1 x shelf, galvanised, height-adjustable, 40 kg
Item-No. 020176



Workbench trolley 1500 2/4

H x W x D (mm): 840 x 1500 x 750
Left: 3 x drawer 180 mm 70 kg; Right: 1 x door 540 mm, 1 x shelf galvanised, height adjustable, 40 kg
Item-No. 020175



Workbench trolley 1500 2/6

H x W x D (mm): 840 x 1500 x 750
Left & right: 3 x drawer 180 mm 70 kg
Item-No. 020063

Suitable products for the workbench trolleys are available here:

- Workbench superstructures page 31



UNDERBENCH CABINETS

Plans, office material or tools – our underbench cabinets are individually divisible so you can store everything safely and protected from dirt directly at your workplace.



- PRODUCT INFORMATION:**
- Welded sheet steel construction with high load capacity and stability
 - Drawers with approx. 85% extension and slotted rows for plug-in dividers
 - Tilt resistance due to single drawer pull-outlock
 - Aluminium handle bars with transparent labeling strips and cover caps
 - Central locking with security lock

Underbench cabinet 800 T/1
 H x W x D (mm): 800 x 572 x 600
 1 x door 720 mm, 1 x shelf, galvanised, height adjustable, 40 kg
 Item-No. 020777



Underbench cabinet 800 T/2
 H x W x D (mm): 800 x 572 x 600
 2 x drawer 90 mm 100 kg, 1 x door 540 mm
 Item-No. 020757



Underbench cabinet 800/4
 H x W x D (mm): 800 x 572 x 600
 3 x drawer 120 mm 100 kg;
 1 x drawer 360 mm 100 kg
 Item-No. 020758




Underbench cabinet 800/5
 H x W x D (mm): 800 x 572 x 600
 1 x drawer 90 mm 100 kg, 1 x drawer 120 mm 100 kg, 1 x drawer 150 mm 100 kg, 2 x drawer 180 mm 100 kg
 Item-No. 017075




Underbench cabinet 800/6
 H x W x D (mm): 800 x 572 x 600
 2 x drawer 90 mm 100 kg, 2 x drawer 120 mm 100 kg, 2 x drawer 150 mm 100 kg
 Item-No. 020781


ACCESSORIES




Drawer division



8 compartments




12 compartments



16 compartments

Front-panel height (mm)			
Height 90	Item-No. 017578	Item-No. 017579	Item-No. 017580
Height from 120	Item-No. 017581	Item-No. 017582	Item-No. 017583



Fine grooved mat
 H x W x D (mm): 3 x 445 x 520
 Item-No. 035509 black



Shelf
 Item-No. 029350 galvanised

Design ideas can be found here:

- Individual projects page 8



5 STEPS TO YOUR INDIVIDUAL

Configure your own custom underbench work table in just a few steps. Precisely tailored to your desires, ideas and us the inquiry by email. We would be happy to provide you with a personalised quote.

1 BASE

Choose the model that suits you best from 2 widths and various designs.



Design and dimensions

Width

- 1500 mm
- 2000 mm

Depth

- 700 mm
- 750 mm
- Customised: mm

Worktop

- Beech multiplex lacquered (H: 38 mm)
- Solid oiled beech (H: 40 mm)



2 ASSEMBLY

Design your under bench freely according to your individual requirements



NOTE: The sum of the selected drawer load and/or door heights must correspond to the respective usable height of the cabinet body.

Drawers

- 85% partial extension
- 70 kg load capacity

Underbench cabinet, upright

Body height: 800 mm = usable height: 720 mm

	Left	Right
60 mm	<input type="checkbox"/>	<input type="checkbox"/>
90 mm	<input type="checkbox"/>	<input type="checkbox"/>
120 mm	<input type="checkbox"/>	<input type="checkbox"/>
150 mm	<input type="checkbox"/>	<input type="checkbox"/>
180 mm	<input type="checkbox"/>	<input type="checkbox"/>

Doors

360 mm	<input type="checkbox"/>	<input type="checkbox"/>
540 mm	<input type="checkbox"/>	<input type="checkbox"/>

Underbench cabinet, wall-mounted

Body height: 380 mm = usable height: 300 mm

60 mm	<input type="checkbox"/>	<input type="checkbox"/>
90 mm	<input type="checkbox"/>	<input type="checkbox"/>
120 mm	<input type="checkbox"/>	<input type="checkbox"/>
150 mm	<input type="checkbox"/>	<input type="checkbox"/>

Workbench leg

- Made of sturdy U-shaped steel
- made of sturdy U-steel (height-adjustable 600 - 950mm)
- ENERGIE Model 1

3 DESIGN

Design the body and front with our 24 standard RAL colours:



Colour

	Body	Front
<input type="checkbox"/> 1007 daffodil yellow	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 1015 light ivory	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 1028 melon yellow	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 3002 carmine red	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 3020 traffic red	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 5005 signal blue	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 5010 gentian blue	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 5012 light blue	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 5014 dove blue	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 5015 sky blue	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 6011 reseda green	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 6018 yellow green	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 7016 anthracite grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 7021 black-grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 7032 pebble grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 7023 concrete grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 7035 light grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 7038 agate grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 7042 traffic grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 8019 grey-brown	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 9005 deep black	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 9006 white aluminium	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 9010 pure white	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 9011 graphite black	<input type="checkbox"/>	<input type="checkbox"/>

UNDERBENCH WORK TABLE

requirements. Simply fill in the relevant options in the form below and send


4 SAFETY

We offer various locking options to keep your tools safe.



Locking

- Standard locking (vs = differently locking)
- Standard locking (gs = same locking)



5 EXTRAS

Choose from our extensive range of accessories.

Accessories

- PVC overlay (transparent, 3 mm)
- Sheet steel support, galvanised (1.5 mm, edged at the front and rear)
- Fine grooved mat (for drawers)
- Shelf, galvanised
- CLIP-O-FLEX (we will be happy to send you separate information material)
- Dividers for drawers (we will be happy to send you additional information material)

TO OFFER

We will be happy to provide you with a quote for your individually configured underbench work table.

Customer data

Name

Company

Email

Customer no.

Customer choice

Please send the completed inquiry by email to vertrieb@dringenberg.com

CLICK HERE FOR THE ELECTRONIC FORM





WORKBENCH SUPERSTRUCTURES

Maximum efficiency and clear organisation down to the smallest detail. With our modular workbench superstructures you have practically every possibility to equip your workbench in such a way that it adapts exactly to the way you work.

PRODUCT INFORMATION:

- Modular plug-in system made of sheet steel for efficient and clear organisation of the workplace
- Gridded bracket supports for hanging various elements and accessories
- Perforated sheet panels with standardised square perforation 10 × 10 mm and 38 mm hole spacing
- Supplied unassembled
- Workbenches and worktops shown are not included in the scope of delivery
- The power strips and power blocks are supplied unwired
- Further combinations and individual projects can be implemented on request



1 Bracket supports
 W (mm): 1270
 In pairs, left and right
 Item-No. 022613 without cable access

2 Perforated panel
 H × W (mm): 800 × 1440
 Item-No. 020677

3 Support arm
 W (mm): 608
 In pairs, left and right
 Item-No. 039782

4 Lamp holder
 H × W × D (mm): 40 × 1450 × 66
 Including 2 × slot nut M5 and screws
 Item-No. 039785 (40 × 1450 × 66)



5 LED workstation light
 W (mm): 1150
 Anodised, cable 3m, switch
 Item-No. 039558

Matching products are available here:

- Box workbenches page 19
- Underbenches page 24
- Hook assortment page 37




VERSATILE COMBINATION AND APPLICATION POSSIBILITIES THANKS TO EXTENSIVE ACCESSORIES



ACCESSORIES



1 Bracket supports
H (mm)
In pairs, left and right
Item-No. 019500 without cable access (470)
Item-No. 019504 without cable access (820)
Item-No. 022613 without cable access (1270)
Item-No. 018163 with cable access (1520)



2 Perforated panel
H x W (mm)
Item-No 019477 (300 x 1440)
Item-No 019489 (650 x 1440)
Item-No 020677 (800 x 1440)
Item-No 019494 (300 x 1940)
Item-No 019467 (650 x 1940)



3 Support arm
W (mm): 608
In pairs, left and right
Item-No. 039782



4 Lamp holder
H x W x D (mm)
Including 2 x slot nut M5 and screws
Item-No. 039785 (40 x 1450 x 66)
Item-No. 039836 (40 x 1950 x 66)




5 LED workstation light
W (mm): 1150
Anodised, cable 3m, switch
Item-No. 039558
Item-No. 040949 dimmable




6 Equipment rail
W (mm)
Including bracket, galvanised
Item-No. 039786 (1450)
Item-No. 039838 (1950)



7 Power block
H x W x D (mm): 250 x 100 x 100
Equipped with 2 x 230V mounted socket, 1 x compressed air quick coupling, not wired
Item-No. 019740




8 ERGO power strip, fixed
W (mm)
Equipped with 1 x compressed air quick coupling, 2 x mounted socket 230V, not wired
Item-No. 039614 (1440)
Item-No. 039615 (1940)




9 ERGO power strip, height adjustable
W (mm)
Equipped with 1 x compressed air quick coupling, 2 x mounted socket 230V, not wired
Item-No. 039926 (1440)
Item-No. 039928 (1940)



10 Drawing holder
W (mm)
Including 8 x folding magnets
Item-No. 022599 (1481)
Item-No. 025862 (1981)



11 Shelf bracket support
W x D (mm)
Item-No. 019514 (1460 x 235)
Item-No. 019518 (1460 x 330)
Item-No. 021403 (1960 x 235)
Item-No. 021408 (1960 x 330)



12 Suspension strip Perfo SLK4
W (mm): 420
Incl. 4 x open fronted storage bin size 4 in blue
Item-No. 019197



13 Shelf Perfo
W x D (mm)
For open fronted storage bin sizes 4 & 5, Load capacity 10 kg
Item-No. 019205 (400 x 145)
For open fronted storage bin sizes 4 & 5, Load capacity 10 kg
Item-No. 019209 (810 x 145)



14 Folder module Perfo
H x W x D (mm): 250 x 265 x 350
For holding folders or DIN A4 storage compartments, suitable for hanging in perforated panels, with lateral square perforation
Item-No. 023498



Suspension strip Perfo SLK5
W (mm): 420
Incl. 4 x open fronted storage bins size 5 in red
Item-No. 019201



15 Carriage for equipment rail
Including 1 x carabiner
Item-No. 019948 large
Item-No. 019949 small



STOOLS AND CHAIRS

Our classic in proven quality for over 60 years. We remain true to our design and are very proud of our strip steel stool with its unchanged look. Strip steel stools are not only in demand as all-rounders in production, schools or workshops, but also increasingly in the home and as designer products.

Strip steel bar stool, 4-legged, Item-No. 039133

OUR CLASSIC SINCE 1950

PRODUCT INFORMATION:

- Made of moulded sheet steel
- Round wooden seat made of beech
Ø 350 mm in clear lacquer finish
- Crossbars riveted to struts



3-legged strip steel stool incl. rubber floor gliders

Item-No. 20902015 H (mm) 450

Item-No. 20902016 H (mm) 500

Item-No. 20902017 H (mm) 550

Item-No. 20902018 H (mm) 600



3-legged height-adjustable strip steel stool

H (mm): 400 – 600, incl. rubber floor glides

Item-No. 20902034



Swivel stool

H (mm): 450 – 570

Height-adjustable thanks to concealed, dust-protected threaded spindle

Item-No. 20901266



4-legged strip steel stool

incl. rubber floor glides

Item-No. 20902022 H (mm) 450

Item-No. 20902024 H (mm) 500

Item-No. 20902026 H (mm) 550

Item-No. 20902028 H (mm) 600

Item-No. 20902030 H (mm) 650



Strip steel bar stool, 4-legged

H (mm): 800, incl. rubber floor glides

Item-No. 039133



Swivel chair

H (mm): 450 – 570

Moulded wood seat with rigid backrest, height-adjustable with concealed, dust-protected threaded spindle

Item-No. 20901205



Stool made of round tube, stackable

Item-No. 20903012 H (mm): 450

Item-No. 20903014 H (mm): 500

Item-No. 20903016 H (mm): 550

Item-No. 20903018 H (mm): 600



Stacking chair with backrest

Made of round tube, molded seat with rigid backrest, with clear lacquer finish, incl. floor glides

Item-No. 20903001



ACCESSORIES


Set of rubber floor glides

Riveted to frame

Item-No. 20902035 3-beinig

Item-No. 20902036 4-beinig

Item-No. 048805 5-beinig





PERFORATED PANEL SYSTEMS

Our perforated panel system is the perfect solution for all items you need to keep close at hand. A variety of accessories gives every utensil a secure place and you a complete overview at any time.

PRODUCT INFORMATION:

- Symmetrically perforated sheet steel panels with folded edges
- Welded reinforcing profiles at of the rear side
- Holes in reinforcing profiles for easy wall mounting
- 10×10 mm square perforation with 38 mm hole spacing
- Material thickness 1.2 mm
- Delivery of accessories including retaining clips and cover caps



Easy wall mounting

Mounting hardware is not included in the scope of delivery


THE UNIFORM HOLE SPACING IS MAINTAINED EVEN IF SEVERAL PERFORATED PANELS ARE MOUNTED NEXT TO OR ON TOP OF EACH OTHER

H × W × D (mm)	RAL 3020	RAL 5010	RAL 6011	RAL 9011
228 × 495 × 13	Item-No. 029332	Item-No. 029333	Item-No. 029330	Item-No. 029331
457 × 495 × 13	Item-No. 023441	Item-No. 023442	Item-No. 020587	Item-No. 023439
457 × 991 × 13	Item-No. 023444	Item-No. 023445	Item-No. 020588	Item-No. 023443
457 × 1486 × 13	Item-No. 023447	Item-No. 023448	Item-No. 020589	Item-No. 023446




The perforated panels are available in the four colours indicated. Other dimensions and colours on request.

ACCESSORIES



Holding pins Base plate 20 × 60 mm, inclined holding pin, PU 1 pc.

Length	φ	Item-No.
25 mm	4 mm	021053
50 mm	4 mm	021054
75 mm	4 mm	021055
100 mm	4 mm	021056




Hooks Base plate 20 × 60 mm, angled hook end, PU 1 pc.

Length	φ	Item-No.
50 mm	6 mm	021057
75 mm	6 mm	021066
100 mm	6 mm	021067
150 mm	6 mm	021068




Double hooks Base plate 60 × 60 mm, angled hook end, hook spacing 28 mm, PU 1 pc.

Length	φ	Item-No.
50 mm	6 mm	021069
75 mm	6 mm	021070
100 mm	6 mm	021071
150 mm	6 mm	021072




Tool clamps Base plate 20 × 60 mm, PU 1 pc.

φ	Item-No.
13 mm	021075
19 mm	021076
25 mm	021077
28 mm	021078
32 mm	021079



Variable tool clamps Base plate 60 × 60 mm, PU 1 pc.

φ	Item-No.
15 - 25 mm	023272




U-holders Base plate 60 × 60 mm, PU 1 pc.

W × D × H (mm)	Item-No.
40 × 20 × 4	021296
60 × 20 × 4	023276
40 × 75 × 6	023277



Round holders Base plate 60 × 60 mm, PU 1 pc.

φ	Item-No.
60 mm	021073
80 mm	021074



Bracket for storage boxes for fixing open fronted storage boxes, PU 1 pc.

Storage boxes (see page 33)

Size	Item-No.
Size 3	021299
Size 4	023270
Size 5	023271



Shelf in RAL 9011 graphite black, PU 1 pc.

H × W × D (mm): 115 × 450 × 170


Item-No. 023274



Folder module Perfo H × W × D (mm): 250 × 265 × 350


For holding folders or DIN A4 storage compartments, suitable for hanging in perforated panels, with square perforation on the side

Item-No. 023498




Holder for cleaning paper rolls W × D (mm): 299 × 220

Item-No. 028190




Holder for long parts W (mm): 35

φ	Item-No.
60 mm	021300
100 mm	023273




Pliers holder Base plate 60 × 60 mm, depth 175 mm, φ 6 mm, PU 1 pc.

Item-No. 021080




Saw holder 3 slots, H × W × D (mm): 38 × 125 × 70, PU 1 pc.

Item-No. 023275



Wrench holder 8 slots, H × W × D (mm): 180 × 75 - 145 × 40, PU 1 pc.

Item-No. 021298





PRODUCT INFORMATION:

- Welded sheet steel construction with high load capacity and stability
- Drawers with approx. 85% extension and rows of slots for plug-in dividers
- Tilt resistance due to individual drawer pull-out stops
- Aluminium handle bars with transparent labeling strips and cover caps
- Central locking with security lock
- 2 x swivel castor Ø 100 mm with brake, 2 x fixed castor Ø 100 mm
- 2 x robust, screwed-on driving handles
- Clearance between shelves 280 mm



Assembly trolley Mod 1

H x W x D (mm): 790 x 572 x 600
 3 x shelf with fine grooved mat,
 1 of which height-adjustable
 Item-No. 020961



Assembly trolley 380/2

H x W x D (mm): 790 x 572 x 600
 2 x drawer 150 mm 100 kg;
 2 x shelf with fine grooved mat
 Item-No. 020153



Assembly trolley 380/3

H x W x D (mm): 790 x 572 x 600
 2 x drawer 90 mm 100 kg
 1 x drawer 120 mm 100 kg
 2 x shelf with fine grooved mat
 Item-No. 020889



Assembly trolley 380/4

H x W x D (mm): 790 x 572 x 600
 2 x drawer 60 mm 100 kg
 2 x drawer 90 mm 100 kg
 2 x shelf with fine grooved mat
 Item-No. 020890



Assembly trolley 670/4

H x W x D (mm): 790 x 572 x 600
 1 x drawer 60 mm 100 kg
 1 x drawer 120 mm 100 kg
 2 x drawer 180 mm 100 kg
 Item-No. 020690

ACCESSORIES




Drawer division

Front-panel height (mm)

Height 60


Height from 120



8 compartments

Item-No. 019764


Item-No. 017581



12 compartments

Item-No. 019765

Item-No. 017582



16 compartments

Item-No. 019766

Item-No. 017583



Fine grooved mat

H x W x D (mm): 3 x 445 x 520

Item-No. 035509 black

ASSEMBLY TROLLEY

They are indispensable helpers in every workshop or production hall. Always where you need them. Incredibly stable and versatile – typical Dringenberg. With shelves and drawers that can be placed at the desired height, they offer plenty of space for tools, workpieces or even small tabletop equipment. Large, smooth-running castors enable a rumble-free journey from A to B. Firmly lockable brakes ensure reliable stability at the scene of the action. The only source of danger: colleagues who have an eye on this practical addition to the workplace.

Matching products are available here:

- Underbenches page 24



TOOL TROLLEYS

Design your workplace flexibly and conveniently with Dringenberg tool trolleys. Discover the impressive strength of our robust steel construction coupled with its captivating design. With the accessories on offer, the tool trolley can be adapted to your individual needs.

DRAWERS WITH 100% EXTENSION; PROTECTED AGAINST TIPPING BY INDIVIDUAL DRAWER LOCKING AND EXTERNAL FIXED CASTORS.



Tool trolley model WDH 5

H x W x D (mm): 930 x 710 x 410 (inkl. handle)
2 x drawer 65 mm, 30 kg
2 x drawer 140 mm, 30 kg
1 x drawer 215 mm, 30 kg
Item-No. 022391

Tool trolley model WDH 6

H x W x D (mm): 930 x 710 x 410 (inkl. handle)
3 x drawer 65 mm, 30 kg
3 x drawer 140 mm, 30 kg
Item-No. 022392

Tool trolley model WDH 7

H x W x D (mm): 930 x 710 x 410 (inkl. handle)
5 x drawer 65 mm, 30 kg
2 x drawer 140 mm, 30 kg
Item-No. 022393

Tool trolley model WDH 8

H x W x D (mm): 930 x 710 x 410 (inkl. handle)
7 x drawer 65 mm, 30 kg
1 x drawer 140 mm, 30 kg
Item-No. 022394

Tool trolley model WDH 9

H x W x D (mm): 930 x 710 x 410 (inkl. handle)
9 x drawer 65 mm, 30 kg
Item-No. 022395

ACCESSORIES

Worktop WDH

H x W x D (mm): 20 x 404 x 621
beech multiplex
Item-No. 021199

Storage compartment WDH

H x W x D (mm): 90 x 217 x 60
Item-No. 020830

Can holder WDH

H x W x D (mm): 70 x 330 x 60
Suitable for 5 cans
Item-No. 020832

Rear panel made of perforated sheet WDH

H x B (mm): 650 x 625
Square perforation, 38 x 38 mm
Item-No. 021206 (650 x 625)
Item-No. 021205 (850 x 625)

Fine grooved mat WDH

H x W x D (mm): 3 x 470 x 340
Item-No. 035511

DRAWER DIVISION



Model WDH 3 compartments

Front-panel height (mm)
height 65 Item-No. 021202
height 140 Item-No. 021203
height 215 Item-No. 021204



Pictured with accessories

Tool trolley S-5

H x W x D (mm): 940 x 700 x 410 (inkl. handle)
2 x drawer 65 mm, 30 kg
2 x drawer 140 mm, 30 kg
1 x drawer 215 mm, 30 kg

Item-No. 031466

Tool trolley S-6

H x W x D (mm): 940 x 700 x 410 (inkl. handle)
3 x drawer 65 mm, 30 kg
3 x drawer 140 mm, 30 kg

Item-No. 031465


Tool trolley S-7

H x W x D (mm): 940 x 700 x 410 (inkl. handle)
5 x drawer 65 mm, 30 kg
2 x drawer 140 mm, 30 kg

Item-No. 031464

Front
RAL 9011
graphite black

Housing
RAL 7035
light grey



ACCESSORIES

Perforated plate S

Square perforation 38 x 38 mm
Item-No. 025798

Fine grooved mat S

H x W x D (mm): 3 x 455 x 335
Item-No. 035510

Can holder angled S

Slanted version
Item-No. 025799

DRAWER DIVISION



Model S 3 compartments

Front-panel height (mm)
height 65 Item-No. 028293
height 140 Item-No. 028295

Can holder vertical S

vertical variant
Item-No. 025800


Matching products are available here:

- Hook assortment page 37



VISIBLE STORAGE SYSTEMS

Our visible storage systems are particularly well suited for the organisation of small parts. Use this trolley as a mobile small parts and spare parts storage or as an assembly station. The different sizes and colours of the open fronted storage bins make it easy for you to find what you're looking for. All parts can be quickly located at a glance.



Plastic storage box

H x W x D (mm)	RED	BLUE	GREEN	YELLOW
185 x 304 x 489	Item-No. 009479	Item-No. 009476	Item-No. 009477	Item-No. 009478
152 x 209 x 335	Item-No. 000009	Item-No. 000010	Item-No. 000011	Item-No. 000012
130 x 150 x 230	Item-No. 000017	Item-No. 000018	Item-No. 000019	Item-No. 000020
75 x 105 x 161	Item-No. 000021	Item-No. 000022	Item-No. 000023	Item-No. 000024
50 x 102 x 90	Item-No. 000013	Item-No. 000014	Item-No. 000015	Item-No. 000016



PRODUCT INFORMATION:

- Welded sheet steel construction with high load capacity and stability
- Multi-folded and reinforced doors, with recessed rotary handle lock
- Shelf height adjustable in 30 mm increments
- Colour of the open fronted storage bins as shown

Shelf cabinet for open fronted storage bins Mod 4

H x W x D (mm): 1950 x 1200 x 500

9 x fixed shelf 250 mm deep

2 x fixed shelf 350 mm deep

3 x drawer 70/90 VA 50 kg

10 x open fronted storage box size 2, blue

28 x open fronted storage bin size 3, yellow

90 x open fronted storage bin size 4, red

40 x open fronted storage box size 5, blue

Item-No. 004107



Shelf cabinet for open fronted storage bins Mod 3

H x W x D (mm): 1950 x 710 x 300

15 x shelf

12 x open fronted storage bin size 3, yellow

4 x open fronted storage box size 3, green

24 x open fronted storage bin size 4, blue

36 x open fronted storage bin size 4, red

Item-No. 004105



Shelf cabinet for open fronted storage bins Mod 1

H x W x D (mm): 1028 x 710 x 300

6 x shelf

12 x open fronted storage bin size 3, yellow

8 x open fronted storage bin size 3, green

12 x open fronted storage box size 4, red

Item-No. 004547

MADE OF FLEXIBLE PP PLASTIC, FREELY COMBINABLE BETWEEN CABINETS, TABLE STANDS AND SHELVES. ALL CABINETS ARE ALSO AVAILABLE WITHOUT BOXES.



Trolley for open fronted storage bins FR 2

H x W x D (mm): 1695 x 1055 x 700

2 fixed and 2 swivel castors

Load capacity 300 kg

16 x open fronted storage bin size 2, blue

48 x open fronted storage bin size 3, green

90 x open fronted storage bin size 4, red

Item-No. 000991



Table stand for open fronted storage bins Mod 2

H x W x D (mm): 420 x 555 x 220


4 x shelf

5 x open fronted storage box size 4, yellow

5 x open fronted storage box size 4, blue

10 x open fronted storage box size 4, red

Item-No. 000993



Wall shelf for open fronted storage bins WR 2

H x W (mm): 1125 x 1055

Galvanised sectional steel construction

18 x open fronted storage box size 3, yellow

24 x open fronted storage bin size 3, blue

Item-No. 000971



Wall shelf for open fronted storage bins 500

H x W (mm): 500 x 1055

Galvanised sectional steel construction

36 x open fronted storage bin size 4, red

Item-No. 000912

Trolley, wall shelf and table stand are supplied unassembled. A selection of other open fronted storage bins is available on request.

HINGED DOOR CABINETS

Organisation on a grand scale. Our individually configurable hinged door cabinets can take in a lot and thus ensure there is enough space in every company.



PRODUCT INFORMATION:

- Welded sheet steel construction with high load capacity and stability
- Multi-folded and reinforced doors, with recessed rotary handle lock
- Ball bearing drawers with 100% extension
- High security and reliability through protected, integrated 3-point lock linkage
- Fixed shelf, galvanised or painted and height adjustable in increments



Hinged door cabinet FLC 2
H x W x D (mm): 1950 x 950 x 450
4 x shelf 60 kg, height adjustable in increments of 180 mm
Item-No. 036405 FB galvanised

Shelf cabinet

H x W x D (mm): 1950 x 1000 x 500
4 x shelf 60 kg, height adjustable,
2 x drawer 90 mm 40 kg

Item-No. 004009

Shelf cabinet without drawer

Item-No. 002008



Shelf cabinet

H x W x D (mm): 1030 x 1000 x 500

3x shelf 60 kg height-adjustable

Item-No. 023101

Drawer shelf unit

Suitable for height 1030 mm and 1950 mm

Item-No. 002022 90 mm, 40 kg, VA

Item-No. 002024 150 mm, 40 kg, VA

Cabinet shelf

Suitable for height 1030 mm and 1950 mm

Item-No. 002029

60 kg, height-adjustable



HINGED DOOR CABINETS



Slant-top desk organiser

H x W x D (mm): 270 x 500 x 500

Sheet steel housing with embossed shelf for pens and work materials, hinged lid with wooden insert, lockable with cylinder lock

Item-No. 002001



Cabinet WST 50

H x W x D (mm): 1000 x 500 x 500

2 x shelf 60 kg, galvanised, height adjustable, 1 x drawer 90 mm 50 kg, 100% extension, shelf height adjustable in 30 mm increments

Item-No. 018416

Shelf for cabinet WST 50

Item-No. 018443

Drawer for cabinet WST 50

Item-No. 018386 90 mm, 50 kg



Mobile tray for cabinet WST 50

H x W x D (mm): 100 x 500 x 500

2 x block castors and 2 x swivel castors with brake, Load capacity: 225 kg

Item-No. 008714



SLIDING DOOR CABINETS

No protruding space requirement, no disturbing obstacles: Sliding doors are a clear advantage in tight room situations, such as behind desks or in narrow corridors.

PRODUCT INFORMATION:

- Housing made of welded sheet steel construction with folded and reinforced doors
- Shelves and drawers height adjustable in 30 mm increments
- Drawers with 100 % extension
- Door guide on low-wear polyamide plastic rollers with high strength and resistance to oils and greases



Sliding door cabinet with partition

H x W x D (mm): 1030 x 2000 x 500
 6 x shelf 60 kg, height adjustable,
 4 x drawer 90 mm 50 kg, 1 x partition
 Item-No. 002036



Sliding door cabinet small

H x W x D (mm): 1030 x 1000 x 500
 3 x shelf 60 kg, height adjustable
 Item-No. 004011

Sliding door cabinet large

H x W x D (mm): 1950 x 1000 x 500
 4 x shelf 60 kg, height adjustable
 Item-No. 007357



5 STEPS TO A CUSTOMISED

Configure your own individual workshop cabinet in just a few steps. Precisely tailored to your desires, ideas and and send us the inquiry by email. We would be happy to provide you with a personalised quote.

1 BASE



Choose your suitable model from 3 widths and 2 heights

Design and dimensions

- | | | |
|----------------------------------|----------------------------------|----------------------------------|
| width | height | height |
| <input type="checkbox"/> 500 mm | <input type="checkbox"/> 1030 mm | |
| <input type="checkbox"/> 1000 mm | <input type="checkbox"/> 1030 mm | <input type="checkbox"/> 1950 mm |
| <input type="checkbox"/> 2000 mm | <input type="checkbox"/> 1030 mm | |
-
- depth**
- 500 mm
 - 600 mm (without drawer option)
 - 800 mm (without drawer option)

2 ASSEMBLY



As standard, your workshop cabinet is **equipped with height-adjustable shelves, load capacity: 60 kg:**

- 2 units at H: 1030 mm,
- 4 pieces for H: 1950 mm

Doors

- Hinged doors
- Hinged doors with viewing window
- Sliding doors (for W: 1000 mm and W: 2000 mm)

3 DESIGN



Design the body and front with our 24 standard RAL colours:

Colour

		Body	Front
<input type="checkbox"/>	1007 daffodil yellow	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	1015 light ivory	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	1028 melon yellow	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	3002 carmine red	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	3020 traffic red	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	5005 signal blue	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	5010 gentian blue	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	5012 light blue	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	5014 dove blue	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	5015 sky blue	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	6011 reseda green	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	6018 yellow green	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	7016 anthracite grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	7021 black-grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	7032 pebble grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	7023 concrete grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	7035 light grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	7038 agate grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	7042 traffic grey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	8019 grey-brown	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	9005 deep black	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	9006 white aluminium	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	9010 pure white	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	9011 graphite black	<input type="checkbox"/>	<input type="checkbox"/>

WORKSHOP CABINET

requirements. Simply fill in the relevant options in the form below


4 SAFETY



We offer various locking options to keep your tools safe.

Locking

- Standard locking (vs = differently locking)
- Standard locking (gs = same locking)



5 EXTRAS

Choose from our extensive range of accessories.

Accessories

- Shelf (fixed, height-adjustable, lacquered in body colour)
- Shelf with full extension (lacquered in body colour)
- Drawer nominal width: 1000 mm, height 90 mm, full extension, 50 kg load capacity (Attention: no individual pull-out stop)
- Drawer nominal width: 1000 mm, height 150 mm, full extension, 50 kg load capacity (Attention: no individual pull-out stop)
- Partition wall, centred (only for W: 1000 mm and W: 2000 mm)
- Drawer nominal width: 500 mm, height 90 mm, full extension, 50 kg load capacity (Attention: no individual pull-out stop)
- Drawer nominal width: 500 mm, height 150 mm, full extension, 50 kg load capacity (Attention: no individual pull-out stop)
- Perfo perforated plate on the rear wall
- Cable entry on the rear wall

TO OFFER

We will be happy to provide you with a quote for your individually configured workshop cabinet.

Customer data

Name

Company

Email

Customer no.

Customer choice

Please send the completed inquiry by email to vertrieb@dringenberg.com

CLICK HERE FOR THE ELECTRONIC FORM




PRODUCT INFORMATION:

- 3 height-adjustable storage levels, each with 6-way 230 V socket strip with on/off switch
- Doors lockable with rotary bolt lock and 2 keys
- Separate earthing of cabinet housing, doors and storage levels
- Power distribution box with 3 circuit breakers
- CE certificate
- Air vents for heat dissipation
- Load capacity per storage level 60 kg
- A maximum of 6 chargers may be connected per charging level


FURTHER INFORMATION

There is a separate brochure available on the topic of battery charging cabinets. Request now: from your specialist dealer or directly at vertrieb@dringenberg.com

Front
RAL 5012
light blue

Housing
RAL 7035
traffic red

Front
RAL 3020
traffic red



BATTERY CHARGING CABINETS

Ready for work at any time. With our fully equipped battery charging cabinets you can charge a variety of devices in parallel and store them safely at the same time – because there's nothing more annoying than dead batteries. Except, perhaps, when the tool you need is not in its place.


Battery cabinet small

H × W × D (mm): 1030 × 1000 × 500
3 × shelf, height adjustable,
1 × drawer, 90 mm, 50 kg, solid sheet metal doors
Item-No. 034217 (cable entry left)
Item-No. 034215 (cable entry right)

Battery cabinet large

H × W × D (mm): 1950 × 1000 × 500
4 × shelf, height adjustable,
1 × drawer, 90 mm, 50 kg, solid sheet metal doors
Item-No. 034213 (cable entry left)
Item-No. 034211 (cable entry right)

Battery cabinet small with viewing window

H × W × D (mm): 1030 × 1000 × 500
3 × shelf, height adjustable,
1 × drawer, 90 mm, 50 kg,
French doors
Item-No. 034218 (cable entry left)
Item-No. 034216 (cable entry right)

Battery cabinet large with viewing window

H × W × D (mm): 1950 × 1000 × 500
4 × shelf, height adjustable,
1 × drawer, 90 mm, 50 kg,
French doors
Item-No. 034214 (cable entry left)
Item-No. 034212 (cable entry right)

READY FOR IMMEDIATE USE – COMPLETELY ASSEMBLED AND WIRED CABINET

ACCESSORIES

Plastic plate, coated anthracite
H × W × D (mm): 8 × 1001 × 502
Item-No. 022594

For the small battery cabinet, the plastic plate shown is not included in the scope of delivery and can be ordered separately as an accessory.



VEHICLE EQUIPMENT

There are jobs where you simply have to be on site. And that's exactly where the tools of the trade should be as perfectly organised as in the company workshop. Everything must have its place in line with the way you work and, above all, keep it there, even when navigating sharp turns. That's why our vehicle shelving systems have been specially designed for this use; they are customisable, robust and easy to install.



MODULES

PRODUCT INFORMATION:

- All modules are completely pre-assembled and therefore ready for immediate installation
- All modules are supplied with installation material
- All modules are powder-coated in two colours (body: RAL 9006/front: RAL 5014)
- All material storage levels are fitted with matching anti-slip mats
- All drawers feature an individual pull-out release, preventing unintentional opening during the journey
- All drawers feature 100% extension and can be loaded with 40 kg (with evenly distributed load)
- The perforation of the shelf components is tailored to Dringenberg's perforated panel system from Dringenberg, allowing for the use of the entire range of accessories.
- Individual colour design or additional adjustments to the modules are possible on request



Module M5


H x W x D (mm): 1055 x 1112 x 382

Base with rigid panel, 1 x material shelf with 2 dividers, 2 x shelf incl. open-fronted storage bins, frame extension with divider, incl. mounting kit, weight 44 kg

Item-No. 049336

Front
RAL 5014
dove blue

Body
RAL 9006
white aluminium




Module PKW

H x W x D (mm): 520 x 834 x 382

1 x plinth/material shelf with hinged front, 1 x drawer full extension 40 kg, 1 x frame extension with divider, incl. mounting kit, weight: 29.4 kg

Item-No. 052555




Module M9

H x W x D (mm): 940 x 1112 x 382

Base with hinged front, 1 x material shelf with one divider, 3 x longitudinal drawers full extension 40 kg, frame extension with divider, incl. mounting kit, weight: 47.0 kg

Item-No. 049341




Module MP2

H x W x D (mm): 1100 x 1112 x 382

Plinth with hinged front, 1 x material shelf with 2 dividers, 2 x shelves incl. open-fronted storage bins, upper shelf with divider, incl. mounting kit, weight 28 kg

Item-No. 049338




Module M6

H x W x D (mm): 1200 x 1112 x 382

Base with hinged front, 2 x drawer full extension 40 kg, 1 x material shelf with hinged front, 1 x material shelf with 2 dividers, frame extension with divider, incl. mounting kit, weight 54 kg

Item-No. 049204



Module M8

H x W x D (mm): 1130 x 1112 x 382

Base with rigid panel, 1 x pull-out worktop beech multiplex, lockable, 3 x drawer with full extension 40 kg, 1 x material shelf with divider, 1 x shelf incl. open-fronted storage bins, frame attachment with divider, incl. mounting kit, weight 77 kg

Item-No. 049206



FROM SIMPLE WORKBENCHES TO COMPLEX SHELVING UNITS, WE NOT ONLY MANUFACTURE BUT ALSO **BUILD FOR YOUR WORKSPACE**

Your company equipment or workshop set-up is a 'joint project' for us. We plan it with you and we manufacture industrial furniture, workbenches, cabinets and much more for you. From our perspective, it is only consistent that we also take care of the assembly up to the turnkey handover. Take advantage of the Dringenberg assembly service, which offers you a whole a comprehensive range of crucial advantages:

- Support from experienced fitters from the beginning to the end
- Regardless of the scope, whether workbench or workshop equipment
- Professional full service on site, simply have it assembled and start right away
- Expert installation even for products from other manufacturers
- Personalised proposals according to your individual installation needs
- Completely transparent costs
- Secure approval through a service report
- Delivery and set-up available upon request
- Inquiries by email or telephone: vertrieb@dringenberg.com | Phone +49 7134 503-0




PLUG AND PLAY by DRINGENBERG. POWER, INSTANTLY AND ALWAYS DIRECTLY WHERE YOU NEED IT. AT THE WORKPLACE.

Whether it's a mobile phone, tablet, laptop, or battery-powered tools, these have become indispensable companions in our daily lives. Dringenberg now offers the opportunity to enhance proven workplace products with an additional charging or electrification function. Super simple, as a plug-and-play solution, completely avoiding the need for additional wiring by an electrician!

CLEAR ADVANTAGES:

- Individual fitting of the „Smart it up“ cut-outs is possible.
- Space-saving, easily retrofittable concept, even for existing workplace set-ups.
- Plug-and-play: delivered fully wired. The time-consuming connection at the end customer's premises by electricians is no longer necessary.


MANY AREAS OF APPLICATION



THE COMPONENTS

- Protect fuse, RCD, 30mA type AC or A
- Switch: two-pole switch, 230V/16A
- Connection cable (3m)
- Connection cable (1m / 1.5m)
- 2-way 230V Schuko socket outlet
- USB connection (USB-C up to 3 A and USB-A up to 2.5 A connection)
- Emergency stop, incl. thermal overload protection

PRICE ON REQUEST. WE WOULD BE PLEASED TO CREATE AN INDIVIDUAL OFFER.





WORKPLACE EQUIPMENT

DRINGENBERG IS AWARE OF ITS RESPONSIBILITY

In order to minimize the burden on nature and the environment, we strive to use the most environmentally friendly methods and technologies in all areas of the production process. Our goal is not only to meet the general standards and legal requirements, but to exceed them on our own initiative.



Solventless coating of parts



Metal degreasing in closed water circuits



Recycling of metal waste



Increased energy efficiency



Reduction of CO₂ emissions



Support for reforestation projects

Delivery note

All prices are subject to VAT.
Delivery ex works.

Delivery times are 2 to 3 weeks, but may vary depending on the product and order situation. Please ask for availability when placing your order.
Decorative items are not included.

Dringenberg GmbH Betriebseinrichtungen
In den Mühlwiesen 15-19
D-74182 Obersulm-Sülzbach

Phone +49 7134 503-0

vertrieb@dringenberg.com
www.dringenberg.com

